

Response to comment on Patterns of Ocular Trauma Presenting to the Tertiary Eye Care Centre in the Islands of Andaman and Nicobar

Sujit Das

Department of Department of Ophthalmology ANIIMS, Port Blair, India.

Delhi J Ophthalmol 2020;31;-114; Doi <http://dx.doi.org/10.7869/djo.612>

I would like to thank Gurnani B for his interest in the article entitled "Patterns of Ocular Trauma Presenting to the Tertiary Eye Care Centre in the Islands of Andaman and Nicobar" In the article regarding treatment protocol I used ONTT reference with 24 hour duration, which actually was NASCISS II study protocol, with 48 hour duration. I used Birmingham eye trauma terminology for eye trauma classification and not a single case of endophthalmitis happened in this study. Anterior chamber intra ocular lens (ACIOL) was put after 2-3 weeks. As we know that Scleral fixated IOL is the best option in case of aphakia in the modern era, still I used ACIOL because there was no scope for that. In the follow up period no complications were noticed specially corneal decompensation and glaucoma. Primary repair was done in all cases and enucleation was performed only after considering the fact that there is no chance of vision recovery.

Cite This Article as: Sujit Das, "Response "Patterns of Ocular Trauma Presenting to the Tertiary Eye Care Centre in the Islands of Andaman and Nicobar"" Delhi J Ophthalmology 2020; 31 (2):-114.

Acknowledgments: Nil

Conflict of interest: None

Source of Funding: None

Date of Submission: 02 Aug 2020

Date of Acceptance 31 Aug 2020

Address for correspondence

Sujit Das,
Department of Ophthalmology
ANIIMS, Port Blair, India
Email-imdrsujitdas@gmail.com



Quick Response Code